L Number	Hits	Search Text	DB	Time stamp
-	8	(("5386562") or ("5889999") or ("5894576") or ("5958048") or ("6009514") or ("6088525") or ("6253373") or ("6286135")).PN.	USPAT; US-PGPUB	2004/09/03 10:54
-	329	(717/140).CCLS.	USPAT; US-PGPUB	2004/08/31 14:10
-	258	(717/151).CCLS.	USPAT; US-PGPUB	2004/08/31 14:13
-	135	((717/140).CCLS.) and (repeat$3 or repetitive)	USPAT; US-PGPUB	2004/08/31 14:19
-	19	(((717/140).CCLS.) and (repeat$3 or repetitive)) and recursive	USPAT; US-PGPUB	2004/08/31 14:25
-	170	((717/140).CCLS.) and sequence	USPAT; US-PGPUB	2004/08/31 14:25
-	48	(((717/140).CCLS.) and sequence) and segment$3	USPAT; US-PGPUB	2004/08/31 14:43
-	43246	(repeat$3 or repetit$4 or copy or duplicate) NEAR5 (segment$1 or section or sections or piece or portion)	USPAT; US-PGPUB	2004/08/31 14:43
-	1592	((repeat$3 or repetit$4 or copy or duplicate) NEAR5 (segment$1 or section or sections or piece or portion)) and "717"	USPAT; US-PGPUB	2004/08/31 14:44
-	16	((((repeat$3 or repetit$4 or copy or duplicate) NEAR5 (segment$1 or section or sections or piece or portion)) and "717") and (access or entry or start) and (exit or end)) and ((717/140).CCLS.)	USPAT; US-PGPUB	2004/08/31 14:44
-	529	optimiz$3 ADJ compiler	USPAT; US-PGPUB	2004/09/01 16:03
-	73	(optimiz$3 ADJ compiler) and recursive	USPAT; US-PGPUB	2004/09/01 16:03
-	68	((optimiz$3 ADJ compiler) and recursive) and @ad<=20011221	USPAT; US-PGPUB	2004/09/01 17:30
-	425533	loop unrolling	USPAT; US-PGPUB	2004/09/01 17:00
-	222	loop adj unrolling	USPAT; US-PGPUB	2004/09/01 17:01
-	126	(loop adj unrolling) and optimizing	USPAT; US-PGPUB	2004/09/01 17:01
-	48	((loop adj unrolling) and optimizing) and entry and exit	USPAT; US-PGPUB	2004/09/01 17:26
-	268	dead adj code	USPAT; US-PGPUB	2004/09/01 17:26
-	37	remov$3 NEAR (dead adj code)	USPAT; US-PGPUB	2004/09/01 17:27
-	25	(remov$3 NEAR (dead adj code)) and @ad<=20011221	USPAT; US-PGPUB	2004/09/01 17:30
-	4	(((optimiz$3 ADJ compiler) and recursive) and @ad<=20011221) and execution adj performance	USPAT; US-PGPUB	2004/09/01 17:31
-	75	reschedul$3 and access adj points	USPAT; US-PGPUB	2004/09/02 12:53
-	7	(reschedul$3 and access adj points) and code near modif$3	USPAT; US-PGPUB	2004/09/03 10:55
-	911	(reschedul$3 schedule$1)and (access adj points) and code	USPAT; US-PGPUB	2004/09/03 11:02
-	40	(reschedul$3 schedule$1)and (access adj points) and code near modif$3	USPAT; US-PGPUB	2004/09/03 11:00
-	224	(reschedul$3 schedule$1)and (access adj points) and compile$1 and program and block	USPAT; US-PGPUB	2004/09/03 11:00
-	66	((reschedul$3 schedule$1)and (access adj points) and compile$1 and program and block) and entry and exit	USPAT; US-PGPUB	2004/09/03 11:00
-	30	(((reschedul$3 schedule$1)and (access adj points) and compile$1 and program and block) and entry and exit) and @ap<=20011221	USPAT; US-PGPUB	2004/09/03 11:03
-	292	dead near code	USPAT; US-PGPUB	2004/09/03 11:03

-	185	(dead near code) and @ap<=20011221	USPAT; US-PGPUB	2004/09/03 11:03
-	77	(((dead near code) and @ap<=20011221) and compiler and entry and exit) and (block or segment)	USPAT; US-PGPUB	2004/09/03 16:38
-	19	("5212794" | "5361354" | "5386562" | "5457799" | "5535394" | "5579520" | "5613121" | "5671419" | "5734908" | "5805863" | "5809308" | "5854933" | "5920724" | "5930510" | "5933643" | "5950009" | "5960198" | "6006033" | "6026240").PN.	USPAT	2004/09/03 13:34
-	95	invariant adj code	USPAT; US-PGPUB	2004/09/03 16:38
-	70	(invariant adj code) and @ap<=20011221	USPAT; US-PGPUB	2004/09/03 16:38
-	45	(((invariant adj code) and @ap<=20011221) and compiler) and entry	USPAT; US-PGPUB	2004/09/03 16:39
-	22	((((invariant adj code) and @ap<=20011221) and compiler) and entry) and exit	USPAT; US-PGPUB	2004/09/03 16:39
-	561	label with (loop or recursive) and code	USPAT; US-PGPUB	2004/09/08 10:51
-	481	(label with (loop or recursive) and code) and @ad<=20011221	USPAT; US-PGPUB	2004/09/08 10:52
-	259	((label with (loop or recursive) and code) and @ad<=20011221) and instruction	USPAT; US-PGPUB	2004/09/08 10:56
-	187	((((label with (loop or recursive) and code) and @ad<=20011221) and instruction) and sequence) and repeat$2	USPAT; US-PGPUB	2004/09/08 10:57
-	84	(((((label with (loop or recursive) and code) and @ad<=20011221) and instruction) and sequence) and repeat$3) and isolat$3	USPAT; US-PGPUB	2004/09/08 10:57
-	78	((((((label with (loop or recursive) and code) and @ad<=20011221) and instruction) and sequence) and repeat$3) and isolat$3) and insert$3	USPAT; US-PGPUB	2004/09/08 11:00
-	4416	instruction adj sequence	USPAT; US-PGPUB	2004/09/08 12:35
-	1408	(instruction adj sequence) and compil$3	USPAT; US-PGPUB	2004/09/08 12:35
-	179	(instruction adj sequence) with compil$3	USPAT; US-PGPUB	2004/09/08 12:36
-	41	((instruction adj sequence) with compil$3) and label	USPAT; US-PGPUB	2004/09/08 12:36
-	20	(((instruction adj sequence) with compil$3) and label) and insert$3	USPAT; US-PGPUB	2004/09/08 12:37
-	18	((((instruction adj sequence) with compil$3) and label) and insert$3) and @ad<=20011221	USPAT; US-PGPUB	2004/09/08 15:09
-	2145	instruction adj sequence)near10(mark tag label instruction	USPAT; US-PGPUB	2004/09/08 15:50
-	598	(instruction adj sequence)near10(mark tag label instruction) and (repeat$3 iterative loop sequence) and segment	USPAT; US-PGPUB	2004/09/08 15:11
-	526	(((instruction adj sequence)near10(mark tag label instruction) and (repeat$3 iterative loop sequence) and segment) and @ad<=20011221) and (entry access exit)	USPAT; US-PGPUB	2004/09/08 15:12
-	98	((((instruction adj sequence)near10(mark tag label instruction) and (repeat$3 iterative loop sequence) and segment) and @ad<=20011221) and (entry access exit)) and optimize	USPAT; US-PGPUB	2004/09/08 15:12
-	466	((((instruction adj sequence)near10(mark tag label instruction) and (repeat$3 iterative loop sequence) and segment) and @ad<=20011221) and (entry access exit)) and (modif$4 isolate partition$3)	USPAT; US-PGPUB	2004/09/08 15:13

-	167	(((((instruction adj sequence)near10(mark tag label instruction) and (repeat$3 iterative loop sequence) and segment) and @ad<=20011221) and (entry access exit)) and (modif$4 isolate partition$3)) and compil$3	USPAT; US-PGPUB	2004/09/08 15:14
-	28	((((((instruction adj sequence)near10(mark tag label instruction) and (repeat$3 iterative loop sequence) and segment) and @ad<=20011221) and (entry access exit)) and (modif$4 isolate partition$3)) and compil$3) and recurs$5	USPAT; US-PGPUB	2004/09/08 15:14
-	1018	(instruction adj sequence)and(mark tag label)and insert$3	USPAT; US-PGPUB	2004/09/08 15:51
-	477	((instruction adj sequence)and(mark tag label)and insert$3) and optimiz$3	USPAT; US-PGPUB	2004/09/09 14:53
-	432	(((instruction adj sequence)and(mark tag label)and insert$3) and optimiz$3) and @ad<=20011221	USPAT; US-PGPUB	2004/09/08 15:52
-	247	((((instruction adj sequence)and(mark tag label)and insert$3) and optimiz$3) and @ad<=20011221) and (schedul$3 or reschedul$3)	USPAT; US-PGPUB	2004/09/08 15:54
-	51	(((((instruction adj sequence)and(mark tag label)and insert$3) and optimiz$3) and @ad<=20011221) and (schedul$3 or reschedul$3)) and code near optimiz$6	USPAT; US-PGPUB	2004/09/08 15:59
-	734	isolate near10 (instruction code)	USPAT; US-PGPUB	2004/09/08 16:02
-	3865	isolat$3 near10 (instruction code)	USPAT; US-PGPUB	2004/09/08 16:02
-	2253	(isolat$4 near10 (instruction code)) and (repeated repeat repetition repetitions repeating)	USPAT; US-PGPUB	2004/09/08 16:03
-	390	((isolat$4 near10 (instruction code)) and (repeated repeat repetition repetitions repeating)) and partit$7	USPAT; US-PGPUB	2004/09/08 16:04
-	169	(((isolat$4 near10 (instruction code)) and (repeated repeat repetition repetitions repeating)) and partit$7) and compil$4	USPAT; US-PGPUB	2004/09/08 16:04
-	152	(((((isolat$4 near10 (instruction code)) and (repeated repeat repetition repetitions repeating)) and partit$7) and compil$4) and @ad<=20011221) and (label mark tag identif$4)	USPAT; US-PGPUB	2004/09/08 16:06
-	34	(isolat$4 near10 (instruction code)) with (label mark tag)	USPAT; US-PGPUB	2004/09/08 16:09
-	1888	((isolat$4 near10 (instruction code)) and (repeated repeat repetition repetitions repeating)) and @ad<=20011221	USPAT; US-PGPUB	2004/09/08 16:09
-	367	(((isolat$4 near10 (instruction code)) and (repeated repeat repetition repetitions repeating)) and @ad<=20011221) and optimiz$3 and compil$4	USPAT; US-PGPUB	2004/09/08 16:10
-	91	((((isolat$4 near10 (instruction code)) and (repeated repeat repetition repetitions repeating)) and @ad<=20011221) and optimiz$3 and compil$4) and recurs$5	USPAT; US-PGPUB	2004/09/08 16:11
-	53940	instrumentation	USPAT; US-PGPUB	2004/09/08 16:52
-	140	instrumentation and (isolat$4 near10 (instruction code))	USPAT; US-PGPUB	2004/09/08 16:52
-	14	(instrumentation and (isolat$4 near10 (instruction code))) and (((((isolat$4 near10 (instruction code)) and (repeated repeat repetition repetitions repeating)) and partit$7) and compil$4) and @ad<=20011221) and (label mark tag identif$4))	USPAT; US-PGPUB	2004/09/08 16:52
-	1	("5586323").PN.	USPAT; US-PGPUB	2004/09/09 14:53

–	6	compiler with optimization with instrumentation	USPAT; US-PGPUB	2004/09/09 17:06
–	8	5950003.URPN.	USPAT	2004/09/09 17:03
–	340	(compiler).ti.	USPAT; US-PGPUB	2004/09/10 16:44
–	4	(compiler and instrumentation$1).ab.	USPAT; US-PGPUB	2004/09/10 16:19
–	19	("5212794" | "5361354" | "5386562" | "5457799" | "5535394" | "5579520" | "5613121" | "5671419" | "5734908" | "5805863" | "5809308" | "5854933" | "5920724" | "5930510" | "5933643" | "5950009" | "5960198" | "6006033" | "6026240").PN.	USPAT	2004/09/09 17:09
–	4	6026240.URPN.	USPAT	2004/09/09 18:30
–	4	6253373.URPN.	USPAT	2004/09/09 18:30
–	27	("5148513" | "5161216" | "5175843" | "5191646" | "5193190" | "5327561" | "5343554" | "5408603" | "5511167" | "5539894" | "5577233" | "5802373" | "5805895" | "5812850" | "5852734" | "5911072" | "5930509" | "6097888" | "6226789" | "6253373" | "6314562" | "6397379" | "6427234" | "6502237" | "6535903" | "6625797" | "6651247").PN.	USPAT	2004/09/09 18:34
–	11	6397379.URPN.	USPAT	2004/09/09 18:39

—	156	("3544969" | "3781823" | "4084235" | "4455602" | "4514803" | "4575797" | "4636940" | "4750112" | "4779187" | "4812975" | "5115500" | "5155835" | "5168557" | "5241638" | "5241664" | "5301287" | "5307504" | "5335331" | "5361340" | "5404476" | "5432795" | "5454117" | "5481684" | "5481693" | "5483647" | "5487156" | "5515518" | "5542059" | "5542109" | "5560013" | "5568646" | "5574927" | "5574929" | "5590309" | "5598546" | "5608886" | "5619666" | "5628016" | "5636366" | "5638525" | "5652869" | "5657474" | "5659679" | "5664159" | "5673407" | "5678032" | "5685009" | "5715421" | "5721927" | "5732238" | "5742780" | "5751982" | "5754878" | "5768500" | "5774287" | "5774686" | "5781750" | "5781758" | "5781792" | "5784640" | "5790824" | "5794068" | "5796939" | "5802272" | "5802373" | "5805877" | "5812864" | "5815720" | "5819064" | "5822578" | "5832205" | "5838962" | "5838978" | "5842017" | "5847955" | "5870763" | "5884057" | "5901308" | "5903760" | "5905855" | "5920721" | "5930509" | "5935220" | "5941827" | "5949415" | "5958047" | "5958061" | "5968162" | "5999736" | "6000028" | "6002872" | "6003038" | "6005551" | "6006029" | "6006277" | "6011908" | "6014735" | "6021265" | "6021484" | "6021489" | "6026478" | "6029004" | "6031992" | "6032247" | "6035393" | "6044220" | "6044221" | "6047363" | "6052771" | "6070009" | "6076144" | "6081665" | "6081890" | "RE36766" | "6091897" | "6092188" | "6115809" | "6119204" | "6141683" | "6154857" | "6157970" | "6163764" | "6175957" | "6195748" | "6205545" | "6212493" | "6219774" | "6226789" | "6233678" | "6237073" | "6240526" | "6253215" | "6256728" | "6304948" | "6308321" | "6336135" | "6351784" | "6351844" | "6353924" | "6363336" | "6374367" | "6374369" | "6381628" | "6381735" | "6397379" | "6405327" | "6463582" | "6470442" | "6470492" | "6473846" | "6477683" | "6480862" | "6496922" | "6557094" | "6560693" | "6591414").PN.	USPAT	2004/09/09 18:40
—	19	("5212794" | "5361354" | "5386562" | "5457799" | "5535394" | "5579520" | "5613121" | "5671419" | "5734908" | "5805863" | "5809308" | "5854933" | "5920724" | "5930510" | "5933643" | "5950009" | "5960198" | "6006033" | "6026240").PN.	USPAT	2004/09/09 18:40
—	531	(jump branch redirect) near10 conditional and compile	USPAT; US-PGPUB	2004/09/10 16:19
—	424	((jump branch redirect) near10 conditional and compile) and @ad<=20011221	USPAT; US-PGPUB	2004/09/10 16:20
—	39	(((jump branch redirect) near10 conditional and compile) and @ad<=20011221) and recursion	USPAT; US-PGPUB	2004/09/10 16:21
—	290	(((jump branch redirect) near10 conditional and compile) and @ad<=20011221) and optimiz$5	USPAT; US-PGPUB	2004/09/10 16:22
—	79	((((jump branch redirect) near10 conditional and compile) and @ad<=20011221) and optimiz$5) and isolat$4	USPAT; US-PGPUB	2004/09/10 16:22

	25	(compiler).ti. and ((jump branch redirect) near10 conditional and compile)	USPAT; US-PGPUB	2004/09/10 16:45
-	22	(compiler).ti. and ((jump branch redirect) near10 conditional and compile) and optimiz$5	USPAT; US-PGPUB	2004/09/13 10:56
-	4	("5202995" | "5361354" | "5457799" | "5596732").PN.	USPAT	2004/09/10 17:35
-	5	("4656682" | "5193190" | "5202995" | "5212794" | "5303377").PN.	USPAT	2004/09/10 18:23